

Total number of printed pages-4

3 (Sem-4/CBCS) PHY HC 2

2023

PHYSICS

(Honours Core)

Paper : PHY-HC-4026

(Elements of Modern Physics)

Full Marks : 60

Time : Three hours

***The figures in the margin indicate
full marks for the questions.***

1. Answer the following questions : $1 \times 7 = 7$
 - (a) What is the quantum of light ?
 - (b) What is the momentum of an electron if its de Broglie wavelength is 1 \AA ?
 - (c) What is wave particle duality ?
 - (d) Write *one* limitation of wave function ψ .

Contd.

- (e) Write the relation between half life and mean life of a radioactive sample.
- (f) What is the radius of a nucleus of mass number 125 ?
- (g) What is the function of a moderator in a nuclear reactor ?

2. Answer the following questions : $2 \times 4 = 8$

- (a) Explain why Compton effect cannot be observed with visible light.
- (b) The threshold wavelength of a metal is 6000 \AA . Find the work function of the metal.
- (c) What is the physical significance of a wave function ?
- (d) Explain why pair production cannot take place in vacuum.

3. Answer **any three** questions from the following : $5 \times 3 = 15$

- (a) Find the expression of minimum energy of a confined particle using uncertainty principle.
- (b) Define commutator. Show that position and momentum operators do not commute. $1 + 4 = 5$

- (c) What is binding energy of a nucleus ? Draw a graph of binding energy per nucleon *vs* mass number of different nuclei. Write *one* conclusion that can be drawn from the graph. $2+2+1=5$
- (d) Write how magic numbers can be explained from nuclear shell model.
- (e) What is α decay ? Explain fine structure of α energy spectrum. $1+4=5$

4. Answer ***any three*** questions taking ***at least one*** from each group (maximum ***two*** questions from ***one*** group): $10 \times 3 = 30$

GROUP-A

- (a) What are phase velocity and group velocity ? Deduce the expressions of phase velocity and group velocity. Derive the relation between these velocities. $2+3+3+2=10$
- (b) Derive Schrödinger equation for a non-relativistic free particle.

- (c) A particle of mass m and KE E is moving along positive X axis towards a finite potential step whose potential function is

$$V(x) = \begin{cases} 0 & \text{for } x < 0 \\ V_0 & \text{for } x > 0 \end{cases}$$

Show that for $E > V_0$ the incident particle has certain probability of being reflected and certain probability of being transmitted.

GROUP-B

- (d) What are the different modes of beta decay ? Explain the nature of β particle spectrum. What are the difficulties in interpreting the spectrum ? 3+3+4=10
- (e) Explain, in detail, the construction and different operating regions of a gas-filled detector. 3+7=10
- (f) Explain the terms 'optical pumping' and 'population inversion'. Explain the three level pumping LASERS and mention *two* drawbacks of this type of LASER. 2+2+4+2=10